SEQUENCE LISTING

- (1) GENERAL INFORMATION:
 - (i) APPLICANT: Peter DORMER
 - (ii) TITLE OF INVENTION: PROTEIN WITH DIFFERENTIATION-INDUCING ACTIVITY FOR FRIEND'S ERYTHROLEUKEMIA CELL LINES
 - (iii) NUMBER OF SEQUENCES: 10
 - (iv) CORRESPONDENCE ADDRESS:
 - (A) ADDRESSEE: LOWE, PRICE, LEBLANC & BECKER
 - (B) STREET: 99 Canal Center Plaza, Suite 300
 - (C) CITY: Alexandria
 - (D) STATE: VA
 - (E) COUNTRY: USA
 - (F) ZIP: 22314
 - (v) COMPUTER READABLE FORM:
 - (A) MEDIUM TYPE: Floppy disk
 - (B) COMPUTER: IBM PC compatible
 - (C) OPERATING SYSTEM: PC-DOS/MS-DOS
 - (D) SOFTWARE: PatentIn Release #1.0, Version #1.30
 - (vi) CURRENT APPLICATION DATA:
 - (A) APPLICATION NUMBER:
 - (B) FILING DATE:
 - (C) CLASSIFICATION:
 - (viii) ATTORNEY/AGENT INFORMATION:
 - (A) NAME: Presta, Frank P.
 - (B) REGISTRATION NUMBER: 19,828
 - (C) REFERENCE/DOCKET NUMBER: 3428-005
 - (ix) TELECOMMUNICATION INFORMATION:
 - (A) TELEPHONE: (703) 684-1111
 - (B) TELEFAX: (703) 684-1124
- (2) INFORMATION FOR SEO ID NO: 1:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1495 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: cDNA to mRNA
 - (iii) HYPOTHETICAL: YES
 - (iv) ANTI-SENSE: NO
 - (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: Mus musculus
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 1:

CCGACCGTGC GGACTTAAGA TGGAGGCACT TCCTGTCTGC GGCGGGAAGA GAAGGCTCGG

AGTGAGTGGC	GGGAAGGCGG	CCCCGAGGCA	TGCTGGGAGT	TGTAGTCCTG	CCGTCGTCAA	180
TGGTTCTCTA	TGGGCTTTCA	GAGTGAGTGG	CGGGAAGGCG	GCCCCGAGGC	ATGCTGGGAG	240
TTGTAGTCCT	GCCATAGTCA	ATGGTTCTCT	ATGGGCTTTC	AGACTGAGTG	GCGGGAAGGC	300
GGCCCCGAGG	CATGCTGGGA	GTTGCAGCGC	CATGTTTTAA	AGCACGCGTT	TCTCTGTATA	360
GACCTGGCTG	TGGATTTTTC	GCTAATTCTT	TTTTTTAGCT	TTATTTTTAA	TTTTTACTTT	420
TTCACACAGG	ATTTCTCTTT	ATAGCCTTGG	CTACCGTTTT	TTCCCTAATT	ATTCTCCTTT	480
TCATTTTGGT	TTATTTTTT	TTAATTTTGG	TTTTTTAAG	ACAGGGTTTC	TCTGTATAGA	540
CCTGGCTGTG	GATTTCTCAC	TAATTATTTT	TTTTAGCTTT	ATTTTTAATT	TTTACTTTTT	600
CACACAGGAT	TTCTCTTTAT	AGCCTTGGCT	ACCGTTTTTT	CCGTAATTAT	TCTTATTTTC	660
ATTTTGGTTT	ATTTTTTAAT	TTTAATTTTT	GATTTTGGAG	ACAGGGTTTC	TCTTTTAGCC	720
GCAGCTATGG	TTTCTGCCCT	AATTATTCTT	GTCCTTATTT	GTAATTTAAT	TCTTAATTTA	780
ATTTAATTTA	TAATTTTGTT	GTAAGTTTTT	CTGTGGGCGT	GAATGGAAAG	TCTAACCCGT	840
GTTTCTCTGT	TCAGCGTCCG	CCGGTCACGG	CCGCCGCCCC	CAGCGACGTC	ACCCACACGC	900
GCAGAAGCGG	ACGCCGCGGT	CAAGATGTCT	CTGCCATGCC	CACGGGACGC	ACGGACGCAC	960
GGACGGACGG	ACGGACTCCA	CAAGGTAGGA	AGCCTGCGCC	GACCGCACCG	CCGCACCCAC	1020
CACAGCACAC	AGGACACACG	CGGGCCCCGC	GCCCGCCCAG	GCACACGCGG	CACACACGGC	1080
ACACACGGCA	GGCAGGCCAG	GCACACGCAT	CCGCAGGACC	CGCCGCACCC	GCCACGCAGA	1140
CACGGACGAG	CCGCCGCGGT	CAAGATGTTC	ACCCGCCGCG	GTCAAGATGT	ATGTGCCACC	1200
GACCCTCGCC	CCGCTGGACG	GACGGACGGA	CGCACGCACG	CCGTCAGCGT	CCACCGGTCA	1260
CTGCCGCCGC	CCACAGTGAT	GTCACCCACG	AAAGCACACA	CGTAGAAGCG	GACGCCGTGG	1320
TCAAGATGTC	TCTGCCATCC	CCACAGGACG	GACGGACGGA	CTCCACAAGG	TGCGCGTGTC	1380
GCCGAGGCCG	CCAGGACGGA	GCGATTCTCA	CGGAGGAAGG	AGCACGCCAA	CAGGGCCTGA	1440
CTGCGTACAG	ACATGTCCCC	CTCAATAAAA	TTGCAGTTGA	AATGGAAAAA	AAAAA	1495

(2) INFORMATION FOR SEQ ID NO: 2:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 715 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA to mRNA
- (iii) HYPOTHETICAL: YES
- (ix) FEATURE:

. .

- (A) NAME/KEY: CDS
- (B) LOCATION:155..688
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 2:

GCA	GAAC	CGT (GACC	GTCC	GC C	GGTC	ACGG	C CG	CCGC	CCCC	AGC	GACG'	rca (CCCA	CACGCG	;	120
CAG	AAGC	GGA (CGCC	gCGG'	TC A	AGAT(GTCT	C TG		IG CO et Pi 1							172
	GCA Ala																220
	GCA Ala																268
	CCG Pro 40																316
	GCA Ala																364
	AGC Ser																412
	CAC His																460
	CAG Gln																508
	AGC Ser 120																556
	CCA Pro																604
	CGC Arg																652
	CTG Leu											AAT'	rgca(GTT			698
GAA	ATGGA	AAA	AAAA	AAA													715

(2) INFORMATION FOR SEQ ID NO: 3:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 177 amino acids
 - (B) TYPE: amino acid (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
 (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 3:

Met Pro Thr Gly Arg Thr Asp Ala Arg Thr Asp Gly Leu Thr Pro Gln 10

Gly Arg Lys Pro Ala Pro Thr Ala Pro Pro His Pro Pro Gln His Thr

3.0

			20					23					30		
Gly	His	Thr 35	Arg	Ala	Pro	Arg	Pro 40	Pro	Arg	His	Thr	Arg 45	His	Thr	Arg
His	Thr 50	Arg	Gln	Ala	Gly	Gln 55	Ala	His	Ala	Ser	Ala 60	Gly	Pro	Ala	Ala
Pro 65	Ala	Thr	Gln	Thr	Arg 70	Thr	Ser	Arg	Arg	Gly 75	Gln	Asp	Val	His	Pro 80
Pro	Arg	Ser	Arg	Cys 85	Met	Cys	His	Arg	Pro 90	Ser	Pro	Arg	Trp	Thr 95	Asp
Gly	Arg	Thr	Arg 100	Ala	Arg	Arg	Gln	Arg 105	Pro	Pro	Val	Thr	Ala 110	Ala	Ala
His	Ser	Asp 115	Val	Thr	His	Glu	Ser 120	Thr	His	Val	Glu	Ala 125	Asp	Ala	Val
Val	Lys 130	Met	Ser	Leu	Pro	Ser 135	Pro	Gln	Asp	Gly	Arg 140	Thr	Asp	Ser	Thr
Arg 145	Cys	Ala	Cys	Arg	Arg 150	Gly	Arg	Gln	Asp	Gly 155	Ala	Ile	Leu	Thr	Glu 160
Glu	Gly	Ala	Arg	Gln 165	Gln	Gly	Leu	Thr	Ala 170	Tyr	Arg	Asn	Ala	Pro 175	Pro
Gln															
(2)	INFO	RMAT	NOI	FOR	SEQ	ID 1	VO: 4	ł:							

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 636 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA to mRNA
- (iii) HYPOTHETICAL: YES
- (ix) FEATURE:

 - (A) NAME/KEY: CDS
 (B) LOCATION:1..636
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 4:

 	 	 	GAC Asp 185	 	 		 	 48
 	 	 	CGC Arg	 	 		 	 96
 	 	 	CGC Arg	 	 	 	 	 144
 	 	 	GCG Ala	 	 	 	 	 192

	GGA Gly 245								240
	CAC His								288
	CCC Pro								336
	CCG Pro								384
	GGA Gly								432
	CAC His 325								480
	GTC Val								528
	AGG Arg								576
	GAA Glu								624
	CAA Gln								636

(2) INFORMATION FOR SEQ ID NO: 5:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 211 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 5:

Met Gly Leu Gln Asn Arg Asp Arg Pro Pro Val Thr Ala Ala Ala Pro 1 5 10 15

Ser Asp Val Thr His Thr Arg Arg Ser Gly Arg Arg Gly Gln Asp Val 20 25 30

Ser Ala Met Pro Thr Gly Arg Thr Asp Ala Arg Thr Asp Gly Leu Thr $_{\rm 35}$ $_{\rm 40}$

Pro Gln Gly Arg Lys Pro Ala Pro Thr Ala Pro Pro His Pro Pro Gln 50 60

His Thr Gly His Thr Arg Ala Pro Arg Pro Pro Arg His Thr Arg His
65 70 75 80

Thr Arg His Thr Arg Gln Ala Gly Gln Ala His Ala Ser Ala Gly Pro

85 90 95

Ala Ala Pro Ala Thr Gln Thr Arg Thr Ser Arg Arg Gly Gln Asp Val

His Pro Pro Arg Ser Arg Cys Met Cys His Arg Pro Ser Pro Arg Trp \$115\$ \$120\$ \$125\$

Thr Asp Gly Arg Thr Arg Ala Arg Arg Gln Arg Pro Pro Val Thr Ala 130 135

Ala Ala His Ser Asp Val Thr His Glu Ser Thr His Val Glu Ala Asp 145 150 155 160

Ala Val Val Lys Met Ser Leu Pro Ser Pro Gln Asp Gly Arg Thr Asp 165 170 175

Ser Thr Arg Cys Ala Cys Arg Arg Gly Arg Gln Asp Gly Ala Ile Leu 180 185 190

Thr Glu Glu Gly Ala Arg Gln Gln Gly Leu Thr Ala Tyr Arg Asn Ala 195 200 205

42

Pro Pro Gln 210

- (2) INFORMATION FOR SEQ ID NO: 6:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 42 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: cDNA to mRNA
 - (iii) HYPOTHETICAL: YES
 - (iv) ANTI-SENSE: NO
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 6: CGTCCGCCGG TCACGGCCGC CGCCCCCAGC GACGTCACCC AC

(2) INFORMATION FOR SEQ ID NO: 7:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 55 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA to mRNA
- (iii) HYPOTHETICAL: YES
- (iv) ANTI-SENSE: NO
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: Mus musculus

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 7:	
AGAAGCGGAC GCCGCGGTCA AGATGTCTCT GCCATGCCCA CGGGACGCAC GGACG	55
(2) INFORMATION FOR SEQ ID NO: 8:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 81 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
(ii) MOLECULE TYPE: cDNA to mRNA	
(iii) HYPOTHETICAL: YES	
(iv) ANTI-SENSE: NO	
(vi) ORIGINAL SOURCE: (A) ORGANISM: Mus musculus	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 8:	
TAGTCCTGCC GTCGTCAATG GTTCTCTATG GGCTTTCAGA GTGAGTGGCG GGAAGGCGGC	60
CCCGAGGCAT GCTGGGAGTT G	81
(2) INFORMATION FOR SEQ ID NO: 9:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 178 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
(ii) MOLECULE TYPE: cDNA to mRNA	
(iii) HYPOTHETICAL: YES	
(iv) ANTI-SENSE: NO	
(vi) ORIGINAL SOURCE: (A) ORGANISM: Mus musculus	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 9:	
GTTTCTCTGT ATAGACCTGG CTGTGGATTT TTCGCTAATT CTTTTTTTTA GCTTTATTTT	60
TAATTTTTAC TTTTTCACAC AGGATTTCTC TTTATAGCCT TGGCTACCGT TTTTTCCCTA	120
ATTATTCTCC TTTTCATTTT GGTTTATTTT TTTTTAATTT TGGTTTTTTT AAGACAGG	178
(2) INFORMATION FOR SEQ ID NO: 10:	
(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 385 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: cDNA to mRNA	

(iii) HYPOTHETICAL: YES

(iv) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

(A) ORGANISM: Mus musculus

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 10:

AGGAAGCCTG	CGCCGACCGC	ACCGCCGCAC	CCACCACAGC	ACACAGGACA	CACGCGGGCC	60
CCGCGCCCGC	CCAGGCACAC	GCGGCACACA	CGGCACACAC	GGCAGGCAGG	CCAGGCACAC	120
GCATCCGCAG	GACCCGCCGC	ACCCGCCACG	CAGACACGGA	CGAGCCGCCG	CGGTCAAGAT	180
GTTCACCCGC	CGCGGTCAAG	ATGTATGTGC	CACCGACCCT	CGCCCCGCTG	GACGGACGGA	240
CGGACGCACG	CACGCCGTCA	GCGTCCACCG	GTCACTGCCG	CCGCCCACAG	TGATGTCACC	300
CACGAAAGCA	CACACGTAGA	AGCGGACGCC	GTGGTCAAGA	TGTCTCTGCC	ATCCCCACAG	360
GACGGACGGA	CGGACTCCAC	AAGGT				385